Amphenol FSI

MIL-ST Fiber Optic Connectors

For Military & Commercial Use



Amphenol Fiber Systems International (AFSI) manufactures a complete line of next generation fiber optic connectors designed to meet the needs of harsh environment applications.

Amphenol Fiber Systems International (AFSI) offers rugged military fiber optic ST connectors for deployable and fixed communication systems. These connectors meet the stringent requirements of MIL-C-83522. AFSI's connectors are designed to provide the best possible optical performance in applications with severe environmental conditions.

The M83522 connector features a higher spring force than commercial ST connectors, allowing it to meet the shock and vibration requirements of MIL-C-83522. Stainless steel construction provides excellent mechanical strength and superior corrosion resistance. The boot is attached either by compression ring or by a threaded adapter.

US Navy approved Commercial-off-the-Shelf (COTS) ST connectors provide the same robustness with a spring force more consistent with commercial ST connectors. The COTS product is designed for use in shock-isolated environments, or to interface with commercial electronics and non-mil-spec ST adapters. It is also appropriate for applications where corrosion resistance and mechanical strength are desirable.

Features and Benefits:

- DFAR 252.225-7014 (Domestic Specialty Metals) compliant
- RoHS compliant
- Superior optical performance in extreme environmental conditions
- Super and Ultra PC polish capabilities
- Robust construction:
- High grade stainless steel body (17-4 SS)
- Zirconia ceramic ferrules and sleeves
- Fungus-resistant, self-extinguishing boot
- Mil-qualified series: high spring force for shock and vibration resistance critical in military applications
- Navy approved COTS: for moderate shock and vibration environments

Applications:

- US Navy Shipboard, surface and submarine, mission critical combat and communications systems
- Mobile tactical shelters
- Electronic battlefield networks
- Mobile emergency telecommunications stations
- Deployable outdoor, harsh environment



MIL-ST Fiber Optic Connectors

For Military & Commercial Use

Materials:


- Ferrule: ZirconiaBody: Stainless steel
- Boot: Fungus resistant, self-extinguishing thermoplastic

MIL-C-83522 Connector Specifications:


Specification	Measurement/Detail
Insertion Loss	<.75dB
Return Loss	>30dB (multimode)
Tensile Loading	>230 N
Mating Durability	500 cycles
Impact	8 times, 1.5 meters
Dust	MIL-STD-202, Method 110
Thermal Shock	MIL-STD-1678, Method 4020
Vibration	MIL-STD-1344, Method 2005
Temperature Humidity	DOD-STD-1678, Method 4030
Salt Spray	MIL-STD-1344, Method 1001
Flammability	MIL-STD-1344, Method 1012
Temperature Cycling	-55°C to 125°C Op, -65°C to +200°C Non-Op
Shock	MIL-STD-901D, Grade A, Type A, Class I
Fungus Resistant	MIL-STD-810, Method 508




Military ST Connector:



Panel Cut-Out:



Military ST Connector:



Amphenol FSI

MIL-ST Fiber Optic Connectors

For Military & Commercial Use

Part Numbers & Descriptions:

Description	MIL-SPEC Part Number	AFSI Part Number
MIL-ST Connector, MM, Compression Ring Boot	M83522/16DNX	MSTC1000
MIL-ST Connector, MM Screw On Boot	M83522/16DNX	MSTC1001
MIL-ST Connector, SM, Compression Ring Boot	M83522/16DNY	MSTC2000
MIL-ST Connector, SM, Screw On Boot	M83522/16DNY	MSTC2001
MIL-ST Adapter, SM & MM	M83523/17NY	MSTA2000
Dust Cap for MIL-ST	MSTF2000	MSTF2000
Dust Cap for MIL-ST Adapter	MSTF3000	MSTF3000



AFSI ST Adapter

ST Connector Typical Performance Specifications:

Specification	Inspection Detail	Single Mode	Multimode
Insertion Loss	EIA/TIA-455-34, Method A	-0.2dB	-0.3dB
Return Loss	EIA/TIA-455-107	-50dB	-30dB

How to Order:

For more information on how to order or to obtain a price quote on any of our MIL-ST products, please call us at 800-472-4225. For international calls please dial 214-547-2400 or e-mail us at info@fibersystems.com.

COTS Ordering Numbers:

Description	COTS Part Number
COTS ST Connector, MM, Compression Ring Boot	MSTC1100
COTS ST Connector, MM Screw On Boot	MSTC1101
COTS ST Connector, SM, Compression Ring Boot	MSTC2100
COTS ST Connector, SM, Screw On Boot	MSTC2101
ST Adapter, MM, Closed Bayonet	MSTC1110
COTS ST Adapter, Split Ceramic Sleeve	MSTA1300



About Amphenol Fiber Systems International:

Amphenol Fiber Systems International (AFSI) designs, manufactures, markets and supports reliable and innovative fiber optic interconnect solutions that withstand the harsh environments of military, oil & gas, mining and broadcast applications. After more than two decades in business, AFSI continues to uphold its position as a global leader in fiber optic interconnect components and systems such as termini, M28876, MIL-ST, TFOCA and the TFOCA-II® connector, which AFSI developed and patented.

AFSI has delivered millions of fiber optic connectors in more than 34 countries. Whenever there is a need for superior, cost-effective fiber optic systems and products that will stand up to demanding operating environments, you can rely on AFSI for engineering know-how, top-quality products and expert technical support.

Visit **www.amphenol-fsi.com** for more information.